Approved For Release 2001/04/10 : CIA-RDP79T01098A0002000700017 Secret



China's Road Network

Secret


ER RP 74-1 January 1974

Copy No.

68

WARNING

This document contains information affecting the national defense of the United States, within the n eaning of Title 18, sections 793 and 794, of the US Cod², as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prolibited by law.



Classified by 015319
Exempt from general
declassification schedule of E.O. 1165:
exemption category 58(1),(2),(3)
Automatically declassified on
Date Impossible to Determine

Approved For Release 2001/04/10 : CIASTOP 79 T01098A000200070001-7

CHINA'S ROAD NETWORK

SUMMARY

1. China's road network, roughly comparable with the US network of the early 1920s, consists of interconnected systems of locally and regionally oriented roads. The network was approximately 700,000 kilometers (km) in length at the end of 1972, compared with only 75,000 km in 1949. Despite this manyfold expansion, roads continue to provide mainly short-haul, farm-to-market transport service. Except in Tibet and other sparsely populated areas of western China, roads do not play a role in long-haul transport; they merely supplement the long-haul transport services of the principal interprovincial carriers -- the railroads and navigable waterways. Direct through routes linking widely separated parts of the country are few in number, and there is no coordinated national highway system. Almost all of the roads in the network are surfaced with either dirt or gravel. Most of the roads, while adequate for their limited traffic, require constant maintenance because of their poor quality.

DISCUSSION

The Primary Network

- 2. The primary network of roads in China, depicted on the map inside the back cover, consists of principal connections between larger population centers. Roads in this network vary widely in quality, depending on the function and location of the roads -- for example, whether there are nearby rail lines or waterways. Amounting to less than one-fourth of China's road mileage, the roads in the primary network generally are two-lane, gravel or asphalt surfaced, and motorable throughout the year. The roads in this network are divided into three categories:
 - a. Two-lane, all-weather roads with an oil/asphalt surface, drainage, and bridges or ferries.
 - b. Two-lane, all-weather roads with a prepared surface of gravel/crushed rock, drainage, and bridges or ferries.

Note	: Commen	ts and queries	regarding	this publication	on are welco	omed.	Thev
	be directed			Office of Eco			
143,	Extension	7884.				,	

25X1A

Approved For Release 2001/04/19 CIA-ROP79T01098A000200070001-7

c. Probable two-lane, fair-weather roads — these roads usually have a prepared surface, may have drainage, and have fords at most streams.

Most of the roads in the primary network fall under the latter two categories.

- 3. The remainder of China's road network, or more than three-fourths of the total mileage in the country, consists of simple farm-to-market connections, surfaced with dirt or gravel. These roads are passable by trucks in good weather and by carts and other types of native transport in most weather.
- 4. Only 1% to 2% of the entire road network has been surfaced with asphalt, concrete, or residual oil. The largest concentrations of bituminous- or oil-treated roads are located on the North China Plain, the western edge of the Szechwan Basin near Ch'eng-tu, the southern and western edges of the Dzungarian Basin, and in other scattered areas where roads accommodate relatively high levels of traffic or experience excessive erosion. A few major arteries in the larger cities are paved with concrete.

Expansion of the Network

- 5. Most of the roads in the 75,000-km network inherited by the Communists in 1949 were narrow, poorly constructed, unsurfaced, and furnished only with ferries or low-capacity bridges. After successfully repairing war damage and restoring the existing network to operation, the new government began an extensive expansion program in 1953 that ended in 1960; in this period, more than 350,000 km of roads were built. Additional roads were built at varying rates of construction through the 1960s and early 1970s. Construction is currently progressing at an estimated rate of 30,000 km of new roads per year.
- 6. Since 1949 the Chinese have increased he total length of the network about eight times, as indicated in the following tabulation:

End of Year	Length of Network (Thousand Kilometers)		
1949	75 ¹		
1950	100		
1952	127		
1957	255		
1958	400		
1959	480		
1961	490		

Approved For Release 2001/04/10 : CIA-RP/7797101098A000200070001-7

Length of Network (Thousand Kilometers)		
550		
640		
670		
700		

1. At the time of the Communist takeover in October 1949.

The massive construction effort has greatly improved the quality of the roads and related structures and has provided motorable links to most populated areas in China. The growth and development of the economy – China's gross national product has grown at an average rate of about 4% since 1953 -- has generated the need for an expanding road network to accommodate China's rapidly increasing number of trucks. Truck production has risen from 7,500 units in 1957 to 100,000 units in 1972, and hundreds of heavy-duty trucks (capacity of more than 8 metric tons) have been imported from Japan and Western Europe. At the current rate of construction, the total length of the national network should approach 800,000 km by the end of the present five-year plan in 1975.

Regional Distribution of the Network

The geographic distribution of the Chinese road network has changed markedly during the past 20 years. In 1949 the road network was distributed primarily around the population centers of the eastern coastal provinces. A small number of roads in other areas of China, such as the Lan-chou - Sinking road in the west and the Burma road in the southwest, completed this sparse network. Detailed data on the growth of the road network (see Appendix A) indicate that in absolute terms the largest increases have taken place in provinces located in Central, South, and Southwest China, where Peking has emphasized economic expansion during the last two decades. Up to the mid-1960s, considerable expansion also took place in Sinkiang, probably as much for strategic as for economic reasons. The smallest increases have occurred in the sparsely populated provinces of Tsinghai, Inner Mongolia, and Tibet and in various provinces of East China where railroads and the Yangtze River provide superior alternative means of transportation. Data on the distribution of the road network (see Appendix B) indicate that the proportion of the network located in Central, South, and Southwest China is substantially greater than in 1949, whereas the proportion located in the North and Northeast is less than in 1949.

Approved For Release 2001/04/10 FGIARREP79T01098A000200070001-7

- 8. Appendix B also compares the regional distribution of the road network with the regional distribution of population and area. This comparison indicates that the distribution of the network approximates the distribution of population only in the Northeast, South, and Southwest. Substantial differences exist in the other regions. For example, East China has only about one-tenth of the network but has more than one-quarter of the population; and Northwest China has more than 15% of the network but less than 7% of the population.
- 9. The density of the road network varies considerably in different parts of the country. The overall density for the country as a whole is about 7 km to 8 km of road per 100 square kilometers of area. In the Northeast, East, Central, and South Regions the censity is about double the countrywide average. In two provinces, Chekia ig and Kwangtung, the density is almost triple the national average. In the North, Northwest, and Southwest, however, the density is equal to or less than the overall figure.

Approved For Release 2001/04/10 : CIASED ROE 1098A000200070001-7

APPENDIX A

CHINA: GROWTH OF THE ROAD NETWORK

	Length of Network (Kilometers)			Present Density
Region and Province	1949	Present ¹	Increase (Kilometers)	(Kilometers per 100 Square Kilometers)
Northeast				
Liaoning	8,000	30,000 (73)	22,000	13.0
Kirin	N.A.	N.A.	N.A.	N.A.
Heilungkiang	N.A.	N.A.	N.A.	N.A.
North				
Hopeh	$5,000^2$	13,000 (58)	8,000	6.5
Shansi	N.A.	N.A.	N.A.	N.A.
Inner Mongolia	1,875	15,943 (72)	14,068	3.7
East	,	,	•	
Shantung	N.A.	25,500 (70)	N.A.	16.6
Kiangsu	2,800	12,100 (71)	9,300	11.8
Chekiang	1,900	20,900 (72)	19,000	20.5
Anhwei	1,142	15,000 (71)	13,858	10.7
Central	,	, , ,	,	
Honan	2,226	25,000 (73)	22,774	14.9
Kiangsi	3,200	19,000 (65)	15,800	11.5
Hupeh	2,261	26,200 (72)	23,939	13.9
Hunan	1,305	32,824 (72)	31,519	15.5
South	-,	, ()	21,515	
Fukien	1,800	20,000 (73)	18,200	16.2
Kwangtung	2,523	42,900 (72)	40,377	20.2
Kwangsi	3,000	30,600 (73)	27,600	12.7
Northwest	5,000	00,000 (10)	27,000	12.,
Shensi	N.A.	22,000 (73)	N.A.	11.2
Kansu	N.A.	15,000 (57)	N.A.)	11,2
Ningsia	N.A.	N.A.	N.A.	1.9
Tsinghai	472	14,000 (72)	13,528	1.9
Sinkiang	3,600	25,600 (64)	22,000	1.5
Southwest	2,000	23,000 (04)	22,000	1.5
Szechwan	4,500	50,000 (72)	45,500	8.7
Yunnan	2,700	40,000 (72)	37,300	9.1
Kweichow	1,900	23,000 (71)	21,100	13.2
Tibet	N.A.	16,500 (71)	N.A.	1.3

^{1.} The latest year for which information is available is indicated in parenthesis.

^{2.} Length of the network in 1950.

Approved For Release 2001/04/10 : CIA RDP 79 T0 1098A000200070001-7


APPENDIX B

CHINA: DISTRIBUTION OF THE ROAD NETWORK, POPULATION, AND AREA

				Percent
	Length	of Network		
Region and Province	1949	Present ¹	Population ²	Area
Northeast	N.A.	N.A.	10.0	12.6
Liaoning	10.6	4.1 (73)	4.6	2.4
Kirin	N.A.	N.A.	2.3	2.8
Heilungkiang	N.A.	N.A.	3.1	7.4
North	N.A.	N.A.	10.9	8.2
Hopeh	5.0	3.2 (58)	7.5	2.2
Shansi	N.A.	N.A.	2.5	1.6
Inner Mongolia	2.5	2.3 (72)	0.9	4.4
East	N.A.	10.9	25.1	5.4
Shantung	N.A.	4.0 (70)	8.4	1.6
Kiangsu	3.7	1.7 (71)	7.9	1.2
Chekiang	2.5	3.0 (72)	3.8	1.1
Anhwei	1.5	2.2 (71)	5.0	1.5
Central	11.8	15.2	20.0	7.7
Honan	2.9	3.4 (73)	7.2	1.8
Kiangsi	4.2	3.4 (65)	2.8	1.7
Hupeh	3.0	3.7 (72)	4.7	2.0
Hunan	1.7	4.7 (72)	5.3	2.2
South	9.7	13.0	11.0	6.0
Fukien	2.4	2.7 (73)	2.3	1.3
Kwangtung	3.3	6.1 (72)	5.5	2.2
Kwangsi	4.0	4.2 (73)	3.2	2.5
Northwest	N.A.	N.A.	6.7	34.9
Shensi	N.A.	3.0 (73)	3.0	2.0
Kansu	N.A.	5.9 (57)	2.2	8.2
Ningsia	N.A.	N.A.	2.3	0.2
Tsinghai	0.6	2.0 (72)	0.4	7.5
Sinkiang	4.8	4.8 (64)	1.0	17.2
Southwest	N.A.	18.3	16.5	25.2
Szechwan	6.0	7.1 (72)	10.8	6.0
Yunnan	3.6	. 5.5 (73)	2.8	4.6
Kweichow	2.5	3.4 (71)	2.7	1.8
Tibet	N.A.	2.3 (73)	0.2	12.8

^{1.} The latest year for which information is available is indicated in parenthesis.

^{2.} Based on mid-1973 estimates.



Approved For Release 2001/04/10 : CIA-RDP79T01098A000200070001-7

Approved For Release 2001/04/10 : CIA-RDP79T01098A000200070001-7 **Secret**

Secret

	Anger - Community	(Project 21; 6	0 (41)		
Ар	proved For Release 2001/04/10 : CIA-RDF		171		
DISSEM: 2	9 Jan 74	LEMENTAL DISTRIBUTIONSTATIN	NIL		
SERIES NUMBER ER RP 74-	CLASSIFICATION OF REPO	DISTRIBUTION TO F	DISTRIBUTION TO RC		
DATE OF DOCUMENT January 19		NUMBER IN RC			
COPY	RECIPIENT	I	DATE		
NO.(S)		SENT	RETURNED		
1,2	DDĪ , ,	16 Jan 74			
3	DCI/NIO	11			
4	DCI/NIO/CH	11	3-10-36		
5	D/OER		Best		
6	ADD/OER	TATINTI II	The Stand		
7		TATINTL !!	7 magett.		
8: 1	SA/ER & D/SA/ER	11 4 4	25 may 14		
9	Ch/D/C				
11	St/P STATINTL	16 Jan 74	7'mac. 78		
12-16	C/CH STATINTE	24 Jan 74	Theze		
17	STATSPEC	29 Jan 74			
18	D/OPR	2/ 5411 / 1			
19	D/IRS	- 13			
20	Ch/DCD	11			
21,22	OTR/II	11			
23	STATSPEC	11			
24	D/CRS	11.			
25	CRS/ISG/SAIO	11			
26	D/OBGI	11			
27	D/OCI	11			
28	D/OSR	11			
29,30	STATINTL	11			
31	Filed in St/P/C	11			
32	ACh/D/I	11			
33	ADCh/D/I	17			
34	Ch/D/D	11			
35	Ch/D/S	- 11			
36	C/RE	11			
37	C/IN	- 11			
38	Ch/D/U	11	*		
39	DCh/D/U	11			
40	St/SD				
41	St/CS	111			
42 43		11			
44	STATINTL				
45	3.7711111	11			
46	****	11			
47	STATI				
48		11			
49	St/P	31 Jan 74	12 Sep 74		

Approved For Release 2001/04/10 : CIA-RDP79T01098A000200070001-7

COPY	RECIPIENT		DAT	E
NO.(S)	RECIPIENT		SENT	RETURNED
0-52	via OCI	STATINTL	15 mar 74	
3,54	via SA/ER	STATINTL	"	
5,56	via SA/ER	**************************************	11	
7,58	via OCI	STATINTL	"	
9,60	via SA/ER		"	
1		STATINTL	11	
2-76	Filed in St/P/C		31 Jan 74	
7			29 Jan 74STATS	PEC
'8	D¥IAS .		11	
'9	D/NPIC		11	
30-83		DIA DI-4Bl	'' STATIN	TL
4-93	IAS/ES		'' STATIN	
4, 95	OBGI		'' STATIN	
16	OCI China Task Force		11	
7,98	F. William Hawley III, (CIEP	11	
9,100	John Yeo, Treasury		11	
01-186	Rec'd in St/P/C		8 Feb 74	
01-145	DCD/ID/CCS		4 Mar 74	
46	Archives		18 man 74	
47-186	Records, Center		11	
16	Statul Codion Low	Hong Hong	14 mar 74	
76 31		100	24 massay	NTL
62			nd 1	
63			d	
64 65			11 STATIN	NTL
65			28 may 79	^
	se allached - ma	mo #048 30/les		INTL
75		KD 38	24 19 Set 78	
66			12 LestATIN	TL
19,73	211 Westweeth		12-an 75	
67	, 05	RIEF- 2/DIA via D/C	3 STATT	TL
72	B1R-4E	2/0/A via D/C	210cm STATIN	ITL
69-71	Westweet		57-la 27	
	8			

SECRET

Approved Fo	r Release 2001	(04/10 : CTA-RDP791	01098A000200070001-	7
			SECURITY/SANITIZAT	
21. 674°	7	RP 74-	1 00.10	
SECUR!TY REV	TEW 3	10- 24/9	SAMITIZING INSTRUCTION	4 /50/
ITEM	DATE INITIALS	REFOVE		
UNEDITED DRAFT				25X1A
EDITED DRAFT				23/1/14
		1. Note a	e the better	m page 1.
		25X1C		
		20/(10		
		SUBSTITUTE		
		25X1D		25X1A
REMARKS				
Sou	-	but a	priorel C	vas
received of	from	8	sublik a	tal R
SECRET			sullik n nnes – F	2,6
some Sta	to and	Degene	reporting	
7270	ree t	e class	Lui SEC	CET and
wee he re	elensa.	& The of	regi gni	emments
Wree he re	, and			San
Weletine of	relea	and the same	1A	
1. Ketys	e cov	er Omitt	ing all bu	the
date, sla	saifica	tim, and	Japan men	ber.
J. Delet 3. Approble F6 FORM 2358 OBSOLETE PREVIOUS 4-70	Note Lado	at lu	bottom 20	ayers.
FORM 2358 OBSOLETE PREVIOU	from ma	PinsicsECRET	GROUP Excluded from automatic	(9-36-43)

STATINTL

STATIN

Approved For Release 2001/04/10 : CIASED P9-F0-098A000200070001-7

CHINA'S ROAD NETWORK

SUMMARY

1. China's road network, roughly comparable with the US network of the early 1920s, consists of interconnected systems of locally and regionally oriented roads. The network was approximately 700,000 kilometers (km) in length at the end of 1972, compared with only 75,000 km in 1949. Despite this manyfold expansion, roads continue to provide mainly short-haul, farm-to-market transport service. Except in Tibet and other sparsely populated areas of western China, roads do not play a role in long-haul transport; they merely supplement the long-haul transport services of the principal interprovincial carriers — the railroads and navigable waterways. Direct through routes linking widely separated parts of the country are few in number, and there is no coordinated national highway system. Almost all of the roads in the network are surfaced with either dirt or gravel. Most of the roads, while adequate for their limited traffic, require constant maintenance because of their poor quality.

DISCUSSION

The Primary Network

- 2. The primary network of roads in China, depicted on the map inside the back cover, consists of principal connections between larger population centers. Roads in this network vary widely in quality, depending on the function and location of the roads for example, whether there are nearby rail lines or waterways. Amounting to less than one-fourth of China's road mileage, the roads in the primary network generally are two-lane, gravel or asphalt surfaced, and motorable throughout the year. The roads in this network are divided into three categories:
 - a. Two-lane, all-weather roads with an oil/asphalt surface, drainage, and bridges or ferries.
 - b. Two-lane, all-weather roads with a prepared surface of gravel/crushed rock, drainage, and bridges or ferries.

Approved For Release 2001/04/16-CPA-REP79T01098A000200070001-7

c. Probable two-lane, fair-weather roads - these roads usually have a prepared surface, may have drainage, and have fords at most streams.

Most of the roads in the primary network fall under the latter two categories.

- 3. The remainder of China's road network, or more than three-fourths of the total mileage in the country, consists of simple farm-to-market connections, surfaced with dirt or gavel. These roads are passable by trucks in good weather and by carts and other types of native transport in most weather.
- 4. Only 1% to 2% of the entire road network has been surfaced with asphalt, concrete, or residual oil. The largest concentrations of bituminous- or oil-treated roads are located on the North China Plain, the western edge of the Szechwan Basin near Ch'eng-tu, the southern and western edges of the Dzungarian Basin, and in other scattered areas where roads accommodate relatively high levels of traffic or experience excessive erosion. A few major arteries in the larger cities are paved with concrete.

Expansion of the Network

- 5. Most of the roads in the 75,000-km network inherited by the Communists in 1949 were narrow, poorly constructed, unsurfaced, and furnished only with ferries or low-capacity bridges. After successfully repairing war damage and restoring the existing network to operation, the new government began an extensive expansion program in 1953 that ended in 1960; in this period, more than 350,000 km of roads were built. Additional roads were built at varying rates of construction through the 1960s and early 1970s. Construction is currently progressing at an estimated rate of 30,000 km of new roads per year.
- 6. Since 1949 the Chinese have increased the total length of the network about eight times, as indicated in the following tabulation:

	Length of Netvork
End of Year	(Thousand Kilon eters)
1949	75 ¹
1950	100
1952	127
1957	255
1958	400
1959	480
1961	490

Approved For Release 2001/04/10 : CIA-RDP79T01098A000200070001-7

15 MAR 1074

MEMORANDUM FOR: CRS/ADD Release

SUBJECT:

Release of ER RP 74-1, China's Road Network, January 1974, Secret, to Foreign Governments

1. It is requested that the attached copy of subject report be forwarded as follows:

STATINTL

#61

2. All OER responsibilities as defined in the DDI memorandum of 13 August 1952, "Procedures for Dissemination of Finished Intelligence to Foreign Governments," as applicable to this report have been fulfilled.

STATINTL

Chief, St/P/C/ER

1 Attachment

12 m 60 71 ETD

The dissemination requested by this memorandum has been completed:

Date: 3/19/14

13 100 00 00530

Approved For Release 2001/04/10: CIA-RDP79T01098A000200070001-7

BEST COPY Available

350751 PUBLICATIONS SOURCE SURVEY MATION FROM COLLECTION PROGRAMS IN FINISHED INTELLIGENCE GENERAL INSPRUCTIONS Rating forms will be completed for each flicthed intelligence publication prepared by the DDII and DDS2.7. This is a machine-supported system and information must be gathered in a formatted fashion. Therefore, each analyst will complete the NON-SHADED parts of section I and II of this form. Please type or print legibly. Questions should be directed to the read of the section IRS/PGG, Room 2G 40, x9457 (red), or x6511 (black). SECTION 1 - PUBLICATION TITLE AND CONTENT NAME AND "SLEPHONE NUMBER OF RATER 25X1A CARD 1 スススススズス DATE PUBLISHED PUBLICATION NUMBER SURVEY NO PUBLICATION DATE (9-12) Ya (13-23)(1-6) (7.8)OW TITLE (24-80) Ŕ 0 H IN D NE W A 53 RECORD SURVEY NO. TYPE OS SRS 01 00 O3 OSR 08 FMSAC XX 02 OER 04 O8GI 05 C8S (1-6) (7-8) (__ JOINT OFFICE (specify): GEOGRAPHIC AREA CATEGORY TOPICAL CATEGORY USSR Domestic Politics Eastern Europe International Relations Communist China Economics XX Other Far East Military Near East Science & Technology South Asia Geography Africa Biography Latin America Western Europe LIST SPECIFIC COUNTRIES: China O BE COMPLETED BY IRS TOPIC REC TYPE (7-8)

FX-233

SECRET